



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/663,657

09/17/2003

Hiroki Awakura

501.43143X00

3803

20457 7590 11/09/2009
ANTONELLI, TERRY, STOUT & KRAUS, LLP
1300 NORTH SEVENTEENTH STREET
SUITE 1800
ARLINGTON, VA 22209-3873

EXAMINER

BODDIE, WILLIAM

ART UNIT

PAPER NUMBER

2629

MAIL DATE

DELIVERY MODE

11/09/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/663,657	Applicant(s) AWAKURA ET AL.	
	Examiner WILLIAM L. BODDIE	Art Unit 2629	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 July 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) 11-18 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>11/28/06, 1/23/06, 9/17/03</u> | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. In an amendment dated, July 27th, 2009 the Applicants withdrew claims 11-18. Currently claims 1-10 are pending.

Election/Restrictions

2. Applicant's election without traverse of claims 1-10 in the reply filed on July 27th, 2009 is acknowledged.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-3, 5 and 10 are rejected under 35 U.S.C. 102(e) as being anticipated by Ishizuka et al. (US 7,264,262).

With respect to claim 1, Ishizuka discloses, a display apparatus comprising;
a pixel array including a plurality of pixels ($PL_{n,m}$ in fig. 15), each pixel including:
a light emitting unit (15 in fig. 2),
a drive element for controlling supply of a current to said light emitting unit (12 in fig. 2), and
a switching element (11 in fig. 2) for controlling said drive element according to an image signal (col. 1, line 63 – col. 2, line 18, for example);

a data signal drive circuit (24 in fig. 15) for receiving image data for each frame period and outputting said image signal to said pixel array based on said image data (col. 18, lines 5-9), said each frame period being provided for displaying one screen of said image data (fig. 5);

a scanning signal drive circuit (25 in fig. 15) for outputting a scanning signal to said pixel array, said scanning signal being for controlling a timing at which said switching element receives said image signal (col. 18, lines 1-4); and

a current source (27 in figs. 15-16) for, through said drive element (fig. 2, for example), outputting said current supplied to said light emitting unit (col. 18, lines 21-23);

wherein said current source modulates the value or the amount of said current being output from said current source (col. 18, lines 34-67).

With respect to claim 2, Ishizuka discloses, the display apparatus as claimed in claim 1 (see above), wherein:

said pixel array includes a pixel for red, a pixel for green, and a pixel for blue (col. 13, lines 32-45, for example); and

said current source is provided for each of said pixel for red, said pixel for green, and said pixel for blue separately (fig. 9).

With respect to claim 3, Ishizuka discloses, the display apparatus as claimed in claim 1 (see above), wherein said current source controls said value or said amount of said current according to a control signal input to said current source (col. 18, lines 46-63; control signal judging indicates how much current offset to apply).

With respect to claim 5, Ishizuka discloses, the display apparatus as claimed in claim 3 (see above), further comprising:

a control circuit (32-36 in fig. 16) for detecting said value or said amount of said current (col. 18, lines 34-45) and, based on said value or said amount of said current, generating said control signal input to said current source (col. 18, lines 46-67).

With respect to claim 10, Ishizuka discloses, a method for display an image based on image data by use of a pixel array including a plurality of pixels ($PL_{n,m}$ in fig. 15), each pixel including:

a light emitting unit (15 in fig. 2);

a drive element for controlling supply of a current to said light emitting unit (12 in fig. 2); and

a switching element (11 in fig. 2) for controlling said drive element according to an image signal (col. 1, line 63 – col. 2, line 18, for example);

wherein said method comprises the steps of:

outputting said current from said current source to said light emitting unit through said drive element (col. 18, lines 21-23);

receiving said image data for each frame period and outputting said image signal from a data signal drive circuit to said pixel array based on said image data (col. 18, lines 5-9), said each frame period being provided for displaying one screen of said image data (fig. 5);

outputting a scanning signal from a scanning signal drive circuit (25 in fig. 15) to said pixel array, said scanning signal being for controlling a timing at which said switching element receives said image signal (col. 18, lines 1-4); and

modulating the value or the amount of said current within said each frame period, said current begin output from said current source (col. 18, lines 34-67).

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ishizuka et al (US 7,274,363) in view of Hack et al. (US 2002/0030647).

With respect to claim 4, Ishizuka discloses, the display apparatus as claimed in claim 3 (see above).

Ishizuka further discloses generating said control signal input to said current source (col. 18, lines 46-67).

Ishizuka does not expressly disclose a PWM control circuit.

Hack discloses, a PWM control circuit for generating a PWM control signal for, through said drive element, controlling whether or not said light emitting unit emits light, during said each frame period (para. 49); and

a control circuit for, based on said PWM control signal, generating said control signal input to said drive source (para. 49; PWM method will involve measuring/storing OLED current versus PWM amount).

Hack and Ishizuka are analogous art because they are both from the same field of endeavor namely current detection and driving circuitry of flat panel displays.

At the time of the invention it would have been obvious to one of ordinary skill in the art to control the pixels via PWM and to alter the current source of Ishizuka as taught by Hack.

The motivation for doing so would have been to for well-known benefit of increased display uniformity as individual pixel element differences are not as noticeable.

7. Claims 6-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ishizuka et al (US 7,274,363) in view of Kimura et al. (US 6,518,962).

With respect to claim 6, Ishizuka discloses, the display apparatus as claimed in claim 5 (see above).

Ishizuka further discloses generating said control signal input to said current source (col. 18, lines 46-67).

Ishizuka does not expressly disclose that the control circuit calculates a luminance level of the image data.

Kimura discloses, wherein a control circuit (21b, 18 in fig. 10) calculates a luminance level of image data (col. 35, line 66 – col. 36, line 17) for each frame period (207 in fig. 17) based on a value or an amount of current (output of 16' in fig. 17) and,

Art Unit: 2629

based on said luminance level of said image data for said each frame period (col. 36, lines 4-15), generating a control signal (output of 209 in fig. 17) input to a driving source (200a in fig. 17).

Kimura and Ishizuka are analogous art because they are both from the same field of endeavor namely EL control circuitry.

At the time of the invention it would have been obvious to one of ordinary skill in the art to calculate the luminance level and to alter the current source of Ishizuka as taught by Kimura.

The motivation for doing so would have been to correct for deterioration over time thereby achieving a higher quality display for a longer period of time (Kimura; col. 1, lines 65-67).

With respect to claim 7, Ishizuka discloses, the display apparatus as claimed in claim 5 (see above).

Ishizuka further discloses generating said control signal input to said current source (col. 18, lines 46-67).

Ishizuka does not expressly disclose that the control circuit calculates a degree of degradation of the light emitting unit.

Kimura discloses, wherein a control circuit (21b, 18 in fig. 10) calculates the degree of degradation of a light emitting unit (15 in fig. 10) based on a value or an amount of current (I_{dm} in fig. 10) and, based on said degree of degradation of said light emitting unit (col. 36, lines 1-17), generating a control signal (output of 21b in fig. 10) input to a driving source (13, 22a in fig. 10).

At the time of the invention it would have been obvious to one of ordinary skill in the art to calculate the degree of degradation and to alter the current source of Ishizuka as taught by Kimura.

The motivation for doing so would have been to correct for deterioration over time thereby achieving a higher quality display for a longer period of time (Kimura; col. 1, lines 65-67).

8. Claims 8-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ishizuka et al (US 7,274,363) in view of Tsuruoka et al. (US 6,414,443).

With respect to claim 8, Ishizuka discloses, the display apparatus as claimed in claim 5 (see above).

Ishizuka further discloses generating said control signal input to said current source (col. 18, lines 46-67).

Ishizuka does not expressly disclose that the control circuit calculates a temperature of the light emitting unit.

Tsuruoka discloses, wherein a control circuit (35 in fig. 4) calculates temperature of said pixel array based on said value or said amount of said current (col. 4, lines 25-36) and, based on said temperature of said pixel array, generating a control signal (output of 34 in fig. 4) input to a driving source (33 in fig. 4).

Tsuruoka and Ishizuka are analogous art because they are both from the same field of endeavor namely EL control circuitry.

At the time of the invention it would have been obvious to one of ordinary skill in the art to calculate the temperature and to alter the current source of Ishizuka as taught by Tsuruoka.

The motivation for doing so would have been to correct for deterioration over time thereby achieving a higher quality display that is independent of temperature variations (Tsuruoka, col. 2, lines 16-18).

With respect to claim 9, Ishizuka discloses, the display apparatus as claimed in claim 3 (see above)

Ishizuka does not expressly disclose another light emitting unit separate from the array or a control circuit for detecting temperature.

Tsuruoka discloses, a light emitting unit (10' in fig. 4) provided separately from a pixel array (10 in fig. 4); and

a control circuit (35 in fig. 4) for detecting temperature of said another light emitting unit (col. 4, lines 25-36) and, based on said temperature of said another light emitting unit, generating a control signal (output of 34 in fig. 4) input to a driving source (33 in fig. 4).

At the time of the invention it would have been obvious to one of ordinary skill in the art to calculate the temperature and to alter the current source of Ishizuka as taught by Tsuruoka.

The motivation for doing so would have been to correct for deterioration over time thereby achieving a higher quality display that is independent of temperature variations (Tsuruoka, col. 2, lines 16-18).

Conclusion

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to WILLIAM L. BODDIE whose telephone number is (571)272-0666. The examiner can normally be reached on Monday through Friday, 7:30 - 4:30 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sumati Lefkowitz can be reached on (571) 272-3638. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/William L Boddie/
Examiner, Art Unit 2629

11/9/2009